IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1. (currently amended) A compound of structural formula I:



(I)

or a pharmaceutically acceptable salt thereof, wherein:

R^1 is selected from:

~~(1) hydrogen,~~

~~(2)~~ (1) C_{1-10}alkyl,

~~(3)~~ (2) $-OR^a$,

~~(4)~~ (3) $-NR^aR^b$,

~~(5)~~ (4) $-NR^bC(O)R^a$,

~~(6)~~ (5) $-CO_2R^a$,

~~(7)~~ (6) $-C(O)NR^aR^b$,

~~(8)~~ (7) cyano, and

~~(9) $-SR^b$, and~~

~~(10)~~ (8) $-SO_2R^b$;

provided that R^1 is not $-NH_2$;

R^2 is selected from:

(1) hydrogen,

(2) C_{1-10}alkyl,

(3) $-OR^a$,

(4) $-NR^aR^b$,

(5) $-NR^aC(O)R^b$,

(6) $-CO_2R^a$,

(7) $-C(O)NR^aR^b$,

(8) cyano,

(9) $-SR^a$, and

(10) $-SO_2R^a$;

wherein R^3 and R^4 are each independently selected from:

(1) 

(2) 

(3) 

(4) 

~~R^3 is selected from:~~

~~(1) aryl, and~~

~~(2) heteroaryl,~~

~~wherein each aryl and heteroaryl is optionally substituted with one to four substituents independently selected from Rf;~~

~~R^4 is selected from:~~

~~(1) aryl, and~~

~~(2) heteroaryl,~~

~~wherein each aryl and heteroaryl is optionally substituted with one to four substituents independently selected from Rg;~~

each R^a is independently selected from:

(1) hydrogen,
(2) C_{1-10}alkyl,
(3) C_{2-10} alkenyl,
(4) cycloalkyl,
(5) cycloalkyl-C_{1-10}alkyl;
(6) cycloheteroalkyl,
(7) cycloheteroalkyl-C_{1-10} alkyl;
(8) aryl,
(9) heteroaryl,
(10) aryl-C_{1-10}alkyl, and

(11) heteroaryl-C_{1-10}alkyl; and

each R^b is independently selected from:

(1) hydrogen,
(2) C_{1-10}alkyl,
(3) C_{2-10} alkenyl,
(4) cycloalkyl,
(5) cycloalkyl-C_{1-10}alkyl;
(6) cycloheteroalkyl,
(7) cycloheteroalkyl-C_{1-10} alkyl;
(8) aryl,
(9) heteroaryl,
(10) aryl-C_{1-10}alkyl, and
(11) heteroaryl-C_{1-10}alkyl, or

R^a and R^b together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members containing 0-2 additional heteroatoms independently selected from oxygen, sulfur and N-R^d,

each R^a and R^b may be unsubstituted or substituted with one to three substituents selected from R^c;

each R^c is independently selected from:

(1) C_{1-10}alkyl,
(2) -OR^d,
(3) -$NR^eS(O)_mR^d$,
(4) halogen,
(5) -SR^d,
(6) -$S(O)_mNR^dR^e$,
(7) -NR^dR^e,
(8) -$C(O)R^d$,
(9) -CO_2R^d,
(10) -CN,
(11) -$C(O)NR^dR^e$,
(12) -$NR^eC(O)R^d$,
(13) -$NR^eC(O)OR^de$,
(14) -$NR^eC(O)NR^dR^e$,
(15) -CF_3,
(16) -OCF_3,
(17) cycloheteroalkyl,
(18) aryl,

(19) arylC1-4alkyl,

(20) heteroaryl, and

(21) heteroarylC1-4alkyl;

R^d and R^e are independently selected from:

(1) hydrogen,

(2) C1-10alkyl,

(3) C2-10 alkenyl,

(4) cycloalkyl,

(5) cycloalkyl-C1-10alkyl;

(6) cycloheteroalkyl,

(7) cycloheteroalkyl-C1-10 alkyl;

(8) aryl,

(9) heteroaryl,

(10) aryl-C1-10alkyl, and

(11) heteroaryl-C1-10alkyl, or

R^d and R^e together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members containing 0-2 additional heteroatoms independently selected from oxygen, sulfur and N-R^f,

each R^d and R^e may be unsubstituted or substituted with one to three substituents selected from R^f;

R^f is independently selected from:

(1) halogen,

(2) C1-10alkyl,

(3) -O-C1-4alkyl,

(4) –S-C1-4alkyl,

(5) -CN,

(6) -CF_3, and

(7) -OCF_3;

each R^g is independently selected from:

(1) halogen,

(2) C1-10alkyl,

(3) -O-C1-4alkyl,

(4) –S-C1-4alkyl,

(5) -CN,

(6) -CF_3, and

(7) -OCF_3; and

m is selected from 1 and 2.

Claim 2. (currently amended) The compound according to Claim 1, wherein: R^3 and R^4 are each independently selected from:

(1) phenyl,

(2) pyridyl,

wherein each phenyl and pyridyl is optionally substituted with one to three substituents independently selected from Rg;

~~and~~ or a pharmaceutically acceptable salts thereof.

Claim 3. (canceled)

Claim 4. (currently amended) The compound according to Claim 1, wherein:

R^1 is selected from:

~~(1)~~ (1) C_{1-6}alkyl,

~~(2)~~ (2) –OH,

~~(3)~~ (3) -OC_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

~~(4)~~ (4) cycloalkyloxy-, unsubstituted or substituted with one to three R^c substituents,

~~(5)~~ (5) cycloalkyl-C_{1-4}alkyloxy-, unsubstituted or substituted with one to three R^c substituents,

~~(6)~~ (6) cycloheteroalkyloxy-, unsubstituted or substituted with one to three R^c substituents,

~~(7)~~ (7) cycloheteroalkyl-C_{1-4} alkyloxy, unsubstituted or substituted with one to three R^c substituents,

~~(8)~~ (8) phenyloxy, unsubstituted or substituted with one to three R^c substituents,

~~(9)~~ (9) heteroaryloxy, unsubstituted or substituted with one to three R^c substituents,

~~(10)~~ (10) phenyl-C_{1-4}alkyloxy, unsubstituted or substituted with one to three R^c substituents,

~~(11)~~ (11) heteroaryl-C_{1-4}alkyloxy, unsubstituted or substituted with one to three R^c substituents,

~~(12)~~ (12) -NR^aR^b,

~~(13)~~ (13) -$NR^bC(O)R^a$,

~~(14)~~ (14) -CO_2H,

~~(15)~~ (15) C_{1-6}alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,

~~(16)~~ (16) cycloalkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,

~~(17)~~ (17) cycloalkyl-C_{1-4}alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,

~~(18)~~ (18) phenyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,

~~(19)~~ (19) heteroaryloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,

~~(20)~~ (20) phenyl-C_{1-4}alkyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,

~~(21)~~ (21) heteroaryl-C_{1-4}alkyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,

~~(22)~~ (22) $-C(O)NR^aR^b$,

~~(23)~~ (23) cyano,

~~(24) SC_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,~~

~~(25)~~ (24) $-SO_2C_{1-6}$alkyl, unsubstituted or substituted with one to three R^c substituents; and

R^a and R^b are each selected from:

(1) hydrogen,

(2) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

(3) cycloalkyl, unsubstituted or substituted with one to three R^c substituents,

(4) cycloalkyl-C_{1-4}alkyl, unsubstituted or substituted with one to three R^c substituents,

(5) phenyl, unsubstituted or substituted with one to three R^c substituents,

(6) heteroaryl, unsubstituted or substituted with one to three R^c substituents,

(7) phenyl-C_{1-4}alkyl, unsubstituted or substituted with one to three R^c substituents, or

(8) heteroaryl-C_{1-4}alkyl, unsubstituted or substituted with one to three R^c substituents, or

when bonded to nitrogen, R^a and R^b together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members containing 0-2 additional heteroatoms independently selected from oxygen, sulfur and N-R^d, unsubstituted or substituted on carbon with one to three R^c substitutents;

~~and~~ or a pharmaceutically acceptable salts thereof.

Claim 5. (currently amended) The compound according to Claim 4, wherein R^1 is selected from:

(1) C_{1-6}alkyl,

(2) –OH,

(3) $-OC_{1-6}$alkyl, unsubstituted or substituted with one to three R^c substituents,

(4) C_{4-7}cycloalkyloxy-, unsubstituted or substituted with one to two R^c substituents,

(5) cycloalkyl-C_{1-3}alkyloxy-, unsubstituted or substituted with one to two R^c substituents,

(6) phenyloxy, unsubstituted or substituted with one to two R^c substituents,

(7) pyridyloxy, unsubstituted or substituted with one to two R^c substituents,

(8) phenyl-C_{1-3}alkyloxy, unsubstituted or substituted with one to two R^c substituents,

(9) pyridyl-C_{1-3}alkyloxy, unsubstituted or substituted with one to two R^c substituents,

(10) -NR^aR^b, wherein:

R^a is selected from:

~~(a) hydrogen;~~

~~(b)~~ (a) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

~~(c)~~ (b) cycloalkyl, unsubstituted or substituted with one to two R^c substituents,

~~(d)~~ (c) cycloalkyl-C_{1-4}alkyl, unsubstituted or substituted with one to two R^c substituents,

~~(e)~~ (d) phenyl, unsubstituted or substituted with one to two R^c substituents,

~~(f)~~ (e) heteroaryl, unsubstituted or substituted with one to two R^c substituents,

~~(g)~~ (f) benzyl, unsubstituted or substituted with one to two R^c substituents,

R^b is selected from:

(a) hydrogen,

(b) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents, or

R^a and R^b together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members containing 0-2 additional heteroatoms independently selected from oxygen, sulfur and N-R^d, unsubstituted or substituted on carbon with one to two R^c substitutents,

(11) -$NR^bC(O)R^a$, wherein:

R^a is selected from:

(a) hydrogen,

(b) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

(c) cycloalkyl, unsubstituted or substituted with one to two R^c substituents,

(d) cycloalkyl-C_{1-4}alkyl, unsubstituted or substituted with one to two R^c substituents,

(e) phenyl, unsubstituted or substituted with one to two R^c substituents,

(f) pyridyl, unsubstituted or substituted with one to three R^c substituents,

(g) benzyl, unsubstituted or substituted with one to two R^c substituents,

(h) pyridylmethyl-, unsubstituted or substituted with one to three R^c substituents,

R^b is selected from:

(a) hydrogen,

(b) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

(12) $-CO_2H$,

(13) C_{1-6}alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,

(14) $-C(O)NR^aR^b$, wherein:

R^a is selected from:

(a) hydrogen,

(b) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

R^b is selected from:

(a) hydrogen, and

(b) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

(15) cyano

(16) $-SC_{1-6}$alkyl, unsubstituted or substituted with one to three R^c substituents, and

(17) $-SO_2C_{1-6}$alkyl, unsubstituted or substituted with one to three R^c substituents;

each R^c is independently selected from:

(1) C_{1-3}alkyl,

(2) hydroxy,

(3) $-OC_{1-3}$alkyl,

(4) halogen,

(5) $-SCH_3$,

(6) –SH,

(7) $-NR^dR^e$,

(8) $-C(O)C_{1-3}$alkyl,

(9) $-CO_2C_{1-3}$alkyl,

(10) $-CO_2H$,

(11) -CN,

(12) $-CF_3$,

(13) $-OCF_3$,

(14) cycloheteroalkyl,

(15) phenyl,

(16) benzyl, and

(17) pyridyl;

and or a pharmaceutically acceptable salts thereof.

Claim 6. (currently amended) The compound according to Claim 4, wherein R^2 is selected from:

(1) hydrogen,
(2) C_{1-6}alkyl,
(3) –OH,
(4) -OC_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,
(5) cycloalkyloxy-, unsubstituted or substituted with one to three R^c substituents,
(6) cycloalkyl-C_{1-4}alkyloxy-, unsubstituted or substituted with one to three R^c substituents,
(7) cycloheteroalkyloxy-, unsubstituted or substituted with one to three R^c substituents,
(8) cycloheteroalkyl-C_{1-4} alkyloxy, unsubstituted or substituted with one to three R^c substituents,
(9) phenyloxy, unsubstituted or substituted with one to three R^c substituents,
(10) heteroaryloxy, unsubstituted or substituted with one to three R^c substituents,
(11) phenyl-C_{1-4}alkyloxy, unsubstituted or substituted with one to three R^c substituents,
(12) heteroaryl-C_{1-4}alkyloxy, unsubstituted or substituted with one to three R^c substituents,
(13) -NR^aR^b,
(14)-$NR^bC(O)R^a$,
(15) -CO_2H,
(16) C_{1-6}alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,
(17) cycloalkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,
(18) cycloalkyl-C_{1-4}alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,
(19) phenyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
(20) heteroaryloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
(21) phenyl-C_{1-4}alkyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
(22) heteroaryl-C_{1-4}alkyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
(23) -$C(O)NR^aR^b$,
(24) cyano,
(25) –SC_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents, and
(26) –SO_2C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

~~and~~ or a pharmaceutically acceptable salts thereof.

Claim 7. (currently amended) The compound according to Claim 1, wherein:

R^2 is selected from:

(1) hydrogen,

(2) C_{1-6}alkyl,

(3) –OH,

(4) -OC_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

(5) C_{4-7}cycloalkyloxy-, unsubstituted or substituted with one to two R^c substituents,

(6) C_{4-7}cycloalkyl-C_{1-3}alkyloxy-, unsubstituted or substituted with one to two R^c substituents,

(7) phenyloxy, unsubstituted or substituted with one to two R^c substituents,

(8) pyridyloxy, unsubstituted or substituted with one to two R^c substituents,

(9) phenyl-C_{1-3}alkyloxy, unsubstituted or substituted with one to two R^c substituents,

(10) pyridyl-C_{1-3}alkyloxy, unsubstituted or substituted with one to two R^c substituents,

(11) -NR^aR^b, wherein:

R^a is selected from:

(a) hydrogen,

(b) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

(c) cycloalkyl, unsubstituted or substituted with one to two R^c substituents,

(d) cycloalkyl-C_{1-4}alkyl, unsubstituted or substituted with one to two R^c substituents,

(e) phenyl, unsubstituted or substituted with one to two R^c substituents,

(f) heteroaryl, unsubstituted or substituted with one to two R^c substituents,

(g) benzyl, unsubstituted or substituted with one to two R^c substituents,

R^b is selected from:

(a) hydrogen,

(b) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents, or

R^a and R^b together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members, unsubstituted or substituted on carbon with one to two R^c substitutents,

(12) -NHC(O)R^a, wherein:

R^a is selected from:

(a) hydrogen,

(b) C_{1-6}alkyl, unsubstituted or substituted with one to three R^c substituents,

(c) cycloalkyl, unsubstituted or substituted with one to two R^c substituents,

(d) cycloalkyl-C_{1-4}alkyl, unsubstituted or substituted with one to two R^c substituents,

(e) phenyl, unsubstituted or substituted with one to two R^c substituents,

(f) pyridyl, unsubstituted or substituted with one to three R^c substituents,

(g) benzyl, unsubstituted or substituted with one to two R^c substituents,

(h) pyridylmethyl-, unsubstituted or substituted with one to three R^c substituents,

(13) cyano, and

(14) $-SO_2C_{1-6}$alkyl, unsubstituted or substituted with one to three R^c substituents;

~~and~~ or a pharmaceutically acceptable salts thereof.

Claim 8. (currently amended) The compound according to Claim 1, wherein:

R^1 is selected from:

~~(1)~~ (1) methyl, ethyl, propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert.-butyl, n-pentyl, or 2,2-dimethylpropyloxy,

~~(2)~~ (2) –OH,

~~(3)~~ (3) methoxy, ethyloxy, isopropyloxy, n-butyloxy, sec-butyloxy, isobutyloxy, tert.-butyloxy, n-pentyloxy, or 2,2-dimethylpropyloxy, unsubstituted or substituted with one to three halo, hydroxy, or methoxy substituents,

~~(4)~~ (4) cyclopropyloxy, cyclobutyloxy, cyclopentyloxy, cyclohexyloxy, or cycloheptyloxy,

~~(5)~~ (5) cyclopropylmethoxy, cyclobutylmethoxy, cyclopentylmethoxy, cyclohexylmethoxy, or cycloheptylmethoxy,

~~(6)~~ (6) 4-fluorophenyloxy, 4-chlorophenyloxy, 4-methoxyphenyloxy, 3-fluorophenyloxy, 3-chlorophenyloxy, 3,4-difluorophenyloxy, 3,4-dichlorophenyloxy, 3,5-difluorophenyloxy, 3,5-dichlorophenyloxy or phenyloxy,

~~(7)~~ (7) 4-pyridyloxy, 3-pyridyloxy, 2-pyridyloxy, 6-chloro-3-pyridyloxy, or 5-chloro-3-pyridyloxy,

~~(8)~~ (8) benzyloxy, 3-fluorobenzyloxy, 3-chlorobenzyloxy, 4-fluorobenzyloxy, 4-chlorobenzyloxy, 3,4-difluorobenzyloxy, 3,4-dichlorobenzyloxy, 3,5-difluorobenzyloxy, 3,5-dichlorobenzyloxy, 2,4-fluorobenzyloxy, 2,4-dichlorobenzyloxy, alpha-methyl-4-fluorobenzyloxy, alpha-methyl-4-chlorobenzyloxy, alpha,alpha-dimethyl-4-fluorobenzyloxy, or alpha,alpha-dimethyl-4-chlorobenzyloxy,

~~(9)~~ (9) 2-pyridylmethyloxy 3,-pyridylmethyloxy, or 4-pyridylmethyloxy,

~~(10)~~ (10) ~~amino,~~ N-methylamino, N,N-dimethyamino, N,N-diisopropylamino, or $N(CH_3)CH_2CH_2N(CH_3)_2$, or N-containing heterocycloalkyl bonded via nitrogen selected from: morpholinyl, thiomorpholinyl, pyrrolidinyl, piperidinyl, and [2.2.1]azabicycloheptyl,

~~(11)~~ (11) $-NHCOR^a$ wherein R^a is selected from:

~~(12)~~ (a) hydrogen,

~~(13)~~ (b) C_{1-4}alkyl,

~~(14)~~ (c) C_{4-6}cycloalkyl, and

~~(15)~~ (d) phenyl, 4-fluorophenyl, 4-chlorophenyl, 3,4-difluorophenyl, or 3,4-dichlorophenyl,

~~(16)~~ (12) $-CO_2H$,

~~(17)~~ (13) $-C(O)NH_2$,

~~(18)~~ (14) -CN, and

~~(19) (15) $-SCH_3$, and~~

~~(20)~~ (15) $-SO_2CH_3$;

R^2 is selected from:

~~(1)~~ (1) hydrogen,

~~(2)~~ (2) methyl, ethyl, propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert.-butyl, n-pentyl, or 2,2-dimethylpropyloxy,

~~(3)~~ (3) –OH,

~~(4)~~ (4) methoxy, ethyloxy, isopropyloxy, n-butyloxy, sec-butyloxy, isobutyloxy, tert.-butyloxy, n-pentyloxy, or 2,2-dimethylpropyloxy, unsubstituted or substituted with one to three halo, hydroxy, or methoxy substituents,

~~(5)~~ (5) cyclopropyloxy, cyclobutyloxy, cyclopentyloxy, cyclohexyloxy, or cycloheptyloxy,

~~(6)~~ (6) cyclopropylmethoxy, cyclobutylmethoxy, cyclopentylmethoxy, cyclohexylmethoxy, or cycloheptylmethoxy,

~~(7)~~ (7) 4-fluorophenyloxy, 4-chlorophenyloxy, 3-fluorophenyloxy, 3-chlorophenyloxy, 3-cyanophenyloxy, 3,4-difluorophenyloxy, 3,4-dichlorophenyloxy, 3,5-difluorophenyloxy, 3,5-dichlorophenyloxy, or phenyloxy,

~~(8)~~ (8) benzyloxy, 3-fluorobenzyloxy, 3-chlorobenzyloxy, 4-fluorobenzyloxy, 4-chlorobenzyloxy, 3,4-difluorobenzyloxy, 3,4-dichlorobenzyloxy, 3,5-difluorobenzyloxy, 3,5-dichlorobenzyloxy, 2,4-fluorobenzyloxy, or 2,4-dichlorobenzyloxy,

~~(9)~~ (9) 4-pyridyloxy, 3-pyridyloxy, 2-pyridyloxy, 6-chloro-3-pyridyloxy, or 5-chloro-3-pyridyloxy,

~~(10)~~ (10) amino, N-methylamino, N-ethylamino, N,N-dimethyamino, N,N-diethylamino,N,N-diisopropylamino, or N-containing heterocycloalkyl bonded via nitrogen selected from: pyrrolidinyl, and piperidinyl,

~~(11)~~ (11) –NHCOR^a wherein R^a is selected from:

~~(12)~~ (a) hydrogen, and

~~(13)~~ (b) C_{1-4}alkyl,

~~(14)~~ (12) -CN, and

~~(15)~~ (13) $-SO_2CH_3$;

R^3 and R^4 are each independently selected from:

(1) 4-chlorophenyl,

(2) 4-methoxyphenyl,

(3) 4-fluorophenyl,

(4) 4-trifluoromethylphenyl,

(5) 3-chlorophenyl,

(6) 3-methoxyphenyl,

(7) 2,4-dichlorophenyl, and

(8) 2-chloro-4-methylthiophenyl;

~~and~~ or a pharmaceutically acceptable salts thereof.

Claim 9. (currently amended) The compound according to Claim 8, wherein: R^3 is 4-chlorophenyl and R^4 is 2,4-dichlorophenyl, ~~and~~ or a pharmaceutically acceptable salts thereof.

Claim 10 (canceled)

Claim 11. (currently amended) A method of treating a disease mediated by the Cannabinoid-1 receptor selected from: psychosis, memory deficit, cognitive disorders, migraine, neuropathy, neuro-inflammatory disorders, cerebral vascular accidents, head trauma, anxiety disorders, stress, epilepsy, Parkinson's disease, schizophrenia, substance abuse disorders, constipation, chronic intestinal pseudo-obstruction, cirrhosis of the liver, asthma, obesity, and other eating disorders associated with excessive food intake, comprising administration to a patient in need of such treatment of a therapeutically effective amount of a compound according to Claim 1.

Claim 12. (canceled)

Claim 13. (original) The method according to Claim 11~~12~~ wherein the disease mediated by the Cannabinoid-1 receptor is an eating disorder associated with excessive food intake.

Claim 14. (original) The method according to Claim 13 wherein the eating disorder asssociated with excessive food intake is selected from obesity, bulimia nervosa, and compulsive eating disorders.

Claim 15. (original) The method according to Claim 14 wherein the eating disorder associated with excessive food intake is obesity.

Claim 16. (original) A method of preventing obesity in a person at risk for obesity comprising administration to said person of about 0.001 mg to about 100 mg per kg of a compound according to Claim 1.

Claim 17. (original) A composition comprising a compound according to Claim 1 and a pharmaceutically acceptable carrier.

Claims 18-23 (cancelled)

Claim 24. (currently amended) The compound according to Claim 1, selected from:

~~(1)~~ (1) 2-(4-fluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(2)~~ (2) 2-(4-fluorobenzyloxy)-4-(2-chloro-4-methylthiophenyl)-5-(4-chlorophenyl)-pyrimidine;

~~(3)~~ (3) 2-(3,4-difluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(4)~~ (4) 2-(3,4-difluorobenzyloxy)-4-(2-chloro-4-methylthio-phenyl)-5-(4-chlorophenyl)-pyrimidine;

~~(5)~~ (5) 2-(4-chlorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(6)~~ (6) 2-(4-chlorobenzyloxy)-4-(2-chloro-4-methylthio-phenyl)-5-(4-chlorophenyl)-pyrimidine;

~~(7)~~ (7) 2-(3,4-dichlorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(8)~~ (8) 2-(3,4-dichlorobenzyloxy)-4-(2-chloro-4-methylthio-phenyl)-5-(4-chlorophenyl)-pyrimidine;

~~(9)~~ (9) 2-(3-fluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(10)~~ (10) 2-(3-fluorobenzyloxy)-4-(2-chloro-4-methylthio-phenyl)-5-(4-chlorophenyl)-pyrimidine;

~~(11)~~ (11) 2-(3-chlorobenzylamino)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)-pyrimidine;

~~(12)~~ (12) 2-(N,N-dimethylamino)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(13) 2-amino-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;~~

~~(14)~~ (13) 2-carboxy-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(15) 2-methylthio-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;~~

~~(16) 2-methylthio-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)-pyrimidine;~~

~~(17)~~ (14) 2-methoxy-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(18)~~ (15) 2,4-dihydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(19) 2-methylthio-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;~~

~~(20)~~ (16) 2-(3,4-difluorobenzyloxy)-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(21)~~ (17) 2-(3,4-difluorobenyloxy)-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(22)~~ (18) 2,4-bis-(3,4-difluorobenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(23)~~ (19) 2,4-dimethoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(24)~~ (20) 2,4-diethoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(25)~~ (21) 2,4-diisopropoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(26)~~ (22) 2-methylsulfonyl-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(27)~~ (23) 2,4-bis(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(28)~~ (24) 2-cyano-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(29)~~ (25) 2-(3,4-difluorobenzyloxy)-4-cyano-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(30)~~ (26) 2-cyano-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(31)~~ (27) 2,4-bis(cyano)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(32)~~ (28) 2-(3,4-difluorophenoxy)-4-methyl-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(33)~~ (29) 2-ethyl-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(34)~~ (30) 2-isopropy-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(35)~~ (31) 2-(3,4-difluorobenzyloxy)-4-methyl-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(36)~~ (32) 2-(3,4-difluorobenzyloxy)-4-ethyl-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(37)~~ (33) 2-(3,4-difluorobenzyloxy)-4-(N-methylamino)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(38)~~ (34) 2-(3,4-difluorophenoxy)-4-amino-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(39)~~ (35) 2-(3,4-difluorobenzyloxy)-4-(amino)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(40)~~ (36) 2-(3,4-difluorophenoxy)-~~4~~-(acetylamino)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(41)~~ (37) 2-(3,4-difluorobenzyloxy)-4-(acetylamino)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(42)~~ (38) 2-(3,4-difluorophenoxy)-4-(N-pyrrolidinyl)-5-[4-chlorophenyl]-6-[2,4-dichlorophenyl]pyrimidine;

~~(43)~~ (39) 2-(cyclopropylmethoxy)-4-(N-pyrrolidinyl)-5-[4-chlorophenyl]-6-[2,4-dichlorophenyl]pyrimidine;

~~(44)~~ (40) 2-(N,N-diethylamino)-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(45)~~ (41) 2-(N,N-diisopropylamino)-~~4~~-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(46)~~ (42) 2-(N-~~pyrrolidyl~~ pyrrolidinyl)-~~4~~-(3,~~4~~-difluorobenzyloxy)-5-(4-chlorophenyl)-~~6~~-(2,4-dichlorophenyl)pyrimidine;

~~(47)~~ (43) 2-(N-piperidyl)-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-~~6~~-(2,4-dichlorophenyl)pyrimidine;

~~(48)~~ (44) 2-(N-morpholinyl)-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(49)~~ (45) 2-(7-N-[2.2.1]-azabicycloheptyl)-~~4~~-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(50)~~ (46) 2-(n-propionyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(51)~~ (47) 2-(N-(2-methyl)propionyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(52)~~ (48) 2-(~~n~~N -(3-methyl)butyryl)-~~4~~-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(53)~~ (49) 2-(aminocarbonyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(54)~~ (50) 2-(carboxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(55)~~ (51) 2-(2-hydroxyethyleneoxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(56)~~ (52) 2-(2-methoxyethyleneoxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(57)~~ (53) 2-(cyclohexylmethyloxy)-4-isopropoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(58)~~ (54) 2-cyclohexyloxy-4-isopropoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(59)~~ (55) 2-(3,4-difluorophenoxy)-4-cyclohexyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(60)~~ (56) 2-(3,4-difluorobenzyloxy)-4-cyclohexyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(61)~~ (57) 2,4-bis(cyclopropylmethyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(62)~~ (58) 2-cyclopropyloxy-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(63)~~ (59) 2-(N-pyrrolidinyl)-4-cyclopropyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(64)~~ (60) 2,4-bis(isopropyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(65)~~ (61) 2-(3,4-difluorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;

~~(66)~~ (62) 2-(4-chlorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;

~~(67)~~ (63) 2-(3-fluorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;

~~(68)~~ (64) 2-(3-chlorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;

~~(69)~~ (65) 2-(4-fluorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;

~~(70)~~ (66) 2-(α-methyl-4-fluorobenzyloxy-)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;

~~(71)~~ (67) 2-(α-methyl-4-fluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(72)~~ (68) 2-(3-pyridylmethoxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(73)~~ (69) 2-(n-butyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(74)~~ (70) 2-(2,4-dichlorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(75)~~ (71) 2-(cyclohexylmethoxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(76)~~ (72) 2-(3,5-dichlorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(77)~~ (73) 2-(6-chloro-3-pyridylmethoxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(78)~~ (74) 2-(α,α-dimethyl-4-fluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(79)~~ (75) 2-(4-fluorophenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(80)~~ (76) 2-(3-fluorophenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(81)~~ (77) 2-(3,4-difluorophenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(82)~~ (78) 2-(3-chlorophenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(83)~~ (79) 2-(4-methoxyphenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(84)~~ (80) 2-(3-pyridyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(85)~~ (81) 2-(5-chloro-3-pyridyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(86)~~ (82) 2-(N-(4-fluorobenzamido))-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(87)~~ (83) 2-(N-(cyclohexylcarboxamido))-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

~~(88)~~ (84) 2,4-bis(cyclobutylmethoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(89)~~ (85) 2-cyclobutylmethoxy-4-(6-fluoro-3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(90)~~ (86) 2-cyclobutylmethoxy-4-(5-chloro-3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(91)~~ (87) 2-methylsulfonyl-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(92)~~ (88) 2-cyclobutylmethoxy-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(93)~~ (89) 2-(2,2-dimethylpropyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(94)~~ (90) 2-(2-t-butyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(95)~~ (91) 2-(2-cyclobutyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(96)~~ (92) 2-(n-propyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(97)~~ (93) 2-(n-butyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(98)~~ (94) 2-(sec-butyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(99)~~ (95) 2-(iso-butyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(100)~~ (96) 2-(isopropyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(101)~~ (97) 2-(n-pentyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(102)~~ (98) 2-cyclopropyloxy-4-(4-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(103)~~ (99) 2,4-bis-(4-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(104)~~ (100) 2-(isobutyloxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(105)~~ (101) 2-(cyclopropylmethoxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(106)~~ (102) 2-(isopropyloxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(107)~~ (103) 2-ethoxy-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(108)~~ (104) 2-(N-pyrrolidinyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(109)~~ (105) 2-(N,N',N'-trimethyl-ethylenediamino)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(110)~~ (106) 2-(N- ~~piperidyl~~piperidinyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(111)~~ (107) 2-(N-morpholinyl)-ethylenediamino-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(112)~~ (108) 2-dimethylamino-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(113)~~ (109) 2-(N-pyrrolidinyl)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(114)~~ (110) 2-methylsulfonyl-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(115)~~ (111) 2-(2-isopropyloxy)-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(116)~~ (112) 2-(2-N,N',N'-trimethyl-~~ethylenediamino~~diaimoloxy)-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(117)~~ (113) 2-(2-~~pyrrolidinyl~~pyrrolindyl)-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(118)~~ (114) 2-(methylsulfonyl)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(119)~~ (115) 2-methoxy-4-(methylsulfonyl)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(120)~~ (116) 2-(3,4-difluorophenyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(121)~~ (117) 2-methoxy-4-(3,4-difluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(122)~~ (118) 2-(3-fluorophenyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(123)~~ (119) 2-methoxy-4-(3-fluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(124)~~ (120) 2-methoxy-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(125)~~ (121) 2-(2-pyridyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(126)~~ (122) 2-(5-chloro-3-pyridyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(127)~~ (123) 2-methoxy-4-(5-chloro-3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(128)~~ (124) 2-(3-pyridyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(129)~~ (125) 2-methoxy-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(130)~~ (126) 2-methoxy-4-(4-fluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(131)~~ (127) 2-methoxy-4-(3,5-difluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(132)~~ (128) 2-methoxy-4-(3-cyanophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(133)~~ (129) 2-(3,4-difluorobenzyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(134)~~ (130) 2-methoxy-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(135)~~ (131) 2-(methylsulfonyl)-4-ethoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(136)~~ (132) 2-ethoxy-4-(methylsulfonyl)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(137)~~ (133) 2-(3,4-difluorobenzyloxy)-4-ethoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(138)~~ (134) 2-ethoxy-4-(3,4-difluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(139)~~ (135) 2-(methylsulfonyl)-4-isopropyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(140)~~ (136) 2-isopropyloxy-4-(methylsulfonyl)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(141)~~ (137) 2-(3,4-difluorobenzyloxy)-4-isopropyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(142)~~ (138) 2-isopropyloxy-4-(3,4-difluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(143)~~ (139) 2-(3,4-difluorobenzyloxy)-4-pyrrolidinyl-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(144)~~ (140) 2-(3,4-difluorobenzyloxy)-4-diethylamino-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine; ~~and~~

~~(145)~~ (141) 2-(3,4-difluorobenzyloxy)-4-dimethylamino-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

~~(146)~~ (142) 2-(3,4-difluorophenoxy)-4-methoxy-5-(4-fluorophenyl)-6-[2, 4-dichlorophenyl]pyrimidine;

~~(147)~~ (143) 2-(3,4-difluorophenoxy)-4-methoxy-5-(4-methoxyphenyl)-6-[2, 4-dichlorophenyl]pyrimidine;

~~(148)~~ (144) 2-(3,4-difluorophenoxy)-4-methoxy-5-(4-trifluoromethylphenyl)-6-[2, 4-dichlorophenyl]pyrimidine;

~~(149)~~ (145) 2-(3,4-difluorophenoxy)-4-methoxy-5-(3-chlorophenyl)-6-[2, 4-dichlorophenyl]pyrimidine; and

~~(150)~~ (146) 2-(3,4-difluorophenoxy)-4-methoxy-5-(3-methoxyphenyl)-6-[2, 4-dichlorophenyl]pyrimidine,

~~and~~ or a pharmaceutically acceptable salts thereof.

Claim 25. (new) The method according to Claim 11 for treating substance abuse disorders, wherein the abused substance is nicotine in a person dependent on nicotine, comprising administering a therapeutically effective amount of a compound according to Claim 1 to the person.